





Manufacturer

Novus Dahle GmbH Breslauer Straße 34–38 49808 Lingen (Ems), Germany www.novus-dahle.com/en/



International sales

novustools@novus-dahle.com

Customer service

Mon-Fri 6 a.m.-2 p.m. Tel. +49 (0) 591 9140-457 service@novus-dahle.com

Last update April 2024
The publishing of this product overview renders all previous editions invalid. Subject to changes in technical data, design and equipment.

Table of contents

Online service	4-5
Our brand. Your benefits	6-9
OUR RANGE OF TACKERS	
Tacker types	10-11
71	
Staple types & colour coding system	12–13
Application examples	14-21
Hand tackers	22-37
Hammer tackers	38-47
Electric tackers	48-59
Cordless tackers	60-71
FASTENER SYSTEM	
Staples guide	72–73
Staple types	74–79
Overview table	80-81
RIVET PLIER & RIVET NUT TOOLS	82–83



Everything at a glance novus-tools.com



Staple finder

Which staple do I need?

Tacker finder

Find the right device for any project.

Technical support

All our user manuals and product information are available on the respective product pages.

Service

Our service department is here to help with any questions relating to our Novus tools. Tel. +49 (0) 591 9140-457

Magazine

Project ideas, DIY instructions and other interesting articles.

FAQ

Quickly find answers to the most frequently asked questions about our tools and how to use them.

Find dealers

Our dealer finder lists all the specialist dealers and DIY stores that stock our tackers.

For all other queries, our head office will be happy to point you towards the right contact partner.

Tel. +49 (0) 591 9140-0



Get excellent results quickly and easily!

Novus is a German manufacturer of professional tackers for construction sites and workshops. We have been continuously improving our tackers since we first launched them in 1950, and our engineers are always developing innovative product features to make your job easier.

We are committed to helping people effortlessly achieve their goals — whether in their professional projects or their hobbies. To do this, we develop and produce high-end tackers that offer innovative "German engineering" of the highest standard.



Over 70 years of tacker expertise

Our in-house research and development centre works tirelessly to make our tools even better. To do so, we draw on more than 70 years of experience from the diverse emco Group, the parent company of Novus Tools, which employs over 1,300 people worldwide.











Specific product features for precise results

A long nozzle allows precision working even in hard-to-reach spots, and the variable distance holder keeps staple lines parallel.



Long-term ergonomics

Ergonomic grips make our tackers easy to handle, while their perfectly balanced centre of mass means you can work comfortably even over long periods of time.



Fast and effortless - 3 fires per second

The rapid-fire function in our new cordless tackers lets you fire more than three times per second.



Durability for sustainability

Durability and a long service life – the hallmarks of Novus tackers. "German engineering", selected materials, precise workmanship and seamless quality checks stand for tools you'll love to use.



Meet any challenge with ease!

Not all tackers are the same, so some will be better suited to your task than others. This brief overview of the different types of tackers will help you to find the right tool for your project.

Electric tackers automatically electrically fire staples after release, making them perfect for more time-consuming jobs.



Hand tackers are for universal use by tradespeople, for DIY and household projects.






Hammer tackers are perfect for jobs where you are looking for speed over precision.



Always the right staple!

Once you have determined what material you need to tack, you can use the pictograms to find the right staple and the proper tool. The straightforward colour coding system on our products, our staples and on the shelf makes it easy for you to see which tacker works with which staples. So finding the right product is child's play.


What material will you be tacking?



Pick the right staples for your material ...







Fabric/cloth

Sheeting





Fine wire staple Thinner staples hold materials securely in place without causing damage.








Flat wire staple The wide back of these staples prevents tearing and keeps sheeting securely in place.







Our nails offer a simple solution for attaching decorative moulding and other wood types. The small head is both discreet and secure.



Decorative moulding

novus°



CLOTH
FABRIC
CARPET
WIRE
PLASTIC PANELS


AH	Recommended staple length
Cloth Fabric	4–8 mm
Carpet Soft plastic boards (2–10 mm)	8–20 mm
Wire mesh Thin wooden strips	12–20 mm





DG	Recommended staple length
Sheeting/(wax) paper/cardboard Leather/faux leather Insulation mats (glass wool) Aluminium-laminated products	6–8 mm
Weather strips	8–10 mm
Cork tiles (2–10 mm)	8–18 mm
Roofing felt	14–18 mm
Tongue-and-groove boards/panelling with clips	18-30 mm

SHEETING
(TAR/CARD)BOARD
(FAUX) LEATHER
INSULATION MATS
WEATHER STRIPS
ALUMINIUM-LAMINATED PRODUCTS
VAPOUR BARRIER SHEETING



TONGUE-AND-GROOVE BOARDS/ PANELS TENSION WIRE HARDBOARD SHEETS MINERAL FIBREBOARDS

C	Recommended staple length
Hardboard sheets (2–6 mm)	12–18 mm
Mineral fibreboards (4–10 mm)	18-30 mm
Plywood (4–10 mm)	12-30 mm
Tension wire	14-30 mm
Tongue-and-groove boards/panelling without clips (directly attached)	18–30 mm





E	Recommended staple length
Hardboard sheets (2–6 mm)	12–18 mm
Decorative moulding/corner moulding	16-30 mm

DECORATIVE MOULDING CORNER MOULDING TONGUE-AND-GROOVE BOARDS PANELS HARDBOARD SHEETS



The machined design line indicates the **staple exit** so you can place your staples with precision.



The long **precision nozzle** allows for precise working even in hard-to-reach places.



The **staple window** displays the current fill level.



The **distance holder** helps you create parallel lines of staples at a uniform distance from the edge.

attachable on either side



Easy to use thanks to integrated staple pusher for quick staple reloading. All parts are firmly attached to the tacker and cannot be lost.





J-50





Item no.: 030-0449 Weight: 0.63 kg

EAN: 4009729078402





J-50 case set includes 3,600 type A staples



Set no. 030-0469 Weight: 1.3 kg EAN: 4009729082553



Powerful professional tacker for perfectly fastening a wide variety of fabrics, textiles and decorative mouldings on building sites and in workshops.

- Suitable for fine wire staples up to 14 mm and nails up to 16 mm
- Suitable for hammer tacker staples type H
- Long nozzle for precise working even in hard-to-reach places
- Distance holder for inserting parallel lines of staples at a uniform distance from the edge
- · Ergonomic softgrip lever for comfortable working
- · Opening for staple level indicator
- Sturdy belt hook for clipping to work clothes so device is always easily to hand
- For accurate results, the design line on the front of the tacker indicates the exact location of the staple exit
- Bottom-loading mechanism with integrated staple pusher for quick staple reloading. All parts are firmly built in to the tacker and cannot be lost
- Guarantees the right impact force for any job, on softwood or hardwood, thanks to mechanical impact force adjustment
- Space-saving handle lock for safe storage when not in use
- Available individually or as a set including staples and a case





J-51





Item no.: 030-0450 Weight: 0.63 kg

EAN: 4009729078426





J-51 case set includes 5,000 type G staples







Item no.: 030-0470 Weight: 1.3 kg EAN: 4009729082577



Powerful professional tacker for perfectly fastening a wide variety of sheeting and decorative mouldings on building sites and in workshops.

- Suitable for flat wire staples up to 14 mm and nails up to 16 mm
- Suitable for hammer tacker staples type G
- Long nozzle for precise working even in hard-to-reach places
- Distance holder for inserting parallel lines of staples at a uniform distance from the edge
- Ergonomic softgrip lever for comfortable working
- Opening for staple level indicator
- Sturdy belt hook for clipping to work clothes so device is always easily to hand
- For accurate results, the design line on the front of the tacker indicates the exact location of the staple exit
- Bottom-loading mechanism with integrated staple pusher for quick staple reloading. All parts are firmly attached to the tacker and cannot be lost
- Guarantees the right impact force for any job, on softwood or hardwood, thanks to mechanical impact force adjustment
- Space-saving handle lock for safe storage when not in use
- Available individually or as a set including staples and a case







Powerful professional tacker with zinc die-cast housing for all kinds of work around the house and DIY jobs in the workshop.

- Suitable for fine wire and flat wire staples from 6 to 14 mm and nails up to 16 mm
- · Suitable for hammer tacker staples type H and G
- Slide mechanism makes it easy to switch between fine wire staples and flat wire staples
- · Ergonomic softgrip lever for comfortable working
- For accurate results, the design line on the front of the tacker indicates the exact location of the staple exit
- Handle lock for safe storage when not in use
- · Opening for staple level indicator
- Distance holder for inserting parallel lines of staples at a uniform distance from the edge
- Long nozzle for precise working even in hard-to-reach places
- Bottom-loading mechanism with safety lock release for quick reloading
- · Correct impact force for softwood or hardwood

Item no.: Weight: EAN:

030-0467 0.969 kg 400972908278











MOVUS®

J-25

Small professional tacker with long-lasting, especially low-kickback zinc die-cast housing for a wide variety of jobs for home or DIY projects and workshops.


- Suitable for fine wire and flat wire staples from 4 to 10 mm
- · Suitable for hammer tacker staples type H and G
- Slide mechanism makes it easy to switch between fine wire staples and flat wire staples
- Ergonomic softgrip lever for comfortable working
- For accurate results, the design line on the front of the tacker indicates the exact location of the staple exit
- Handle lock for safe storage when not in use
- · Opening for staple level indicator
- Bottom-loading mechanism with safety lock release for quick reloading

Item no.: Weight: EAN:

030-0468 0.645 kg 4005729082492













Our large hand tacker with premium ABS plastic housing for universal use.

- Suitable for fine wire and flat wire staples from 6 to 14 mm
- Slide mechanism makes it easy to switch between fine wire and flat wire staples
- Ergonomic softgrip lever for comfortable working
- Handle lock for safe storage when not in use
- Opening for staple level indicator
- Bottom-loading mechanism with safety lock release for quick reloading
- Correct impact force for softwood or hardwood



Our small general-use tacker for interior decorating and crafting.

- Suitable for fine wire and flat wire staples from 4 to 10 mm
- Suitable for hammer tacker staples type H and G
- Slide mechanism makes it easy to switch between fine wire and flat wire staples
- Ergonomic softgrip lever for comfortable working
- Handle lock for safe storage when not in use
- Opening for staple level indicator

Weight:

0.25 kg

Bottom-loading mechanism with safety lock release for quick reloading

EAN:

4009729068168

Weight: EAN: Item no.:

030-0438 0.451 kg 4009729058398











Item no.:

030-0441







Our small hand tacker with premium ABS plastic housing for universal use.

- Suitable for fine wire staples from 4 to 10 mm
- Suitable for hammer tacker staples type H
- Handle lock for safe storage when not in use
- Opening for staple level indicator
- Bottom-loading mechanism with safety lock release for quick reloading



J-11

Our simple hand tacker made from ABS plastic for occasional household or garden use.

- Suitable for fine wire staples from 4 to 8 mm
- Handle lock for safe storage when not in use
- Opening for staple level indicator
- Bottom-loading mechanism with safety lock release for quick reloading

Item no.: Weight: EAN:

030-0435 0.244 kg 4009729057308





Item no.: Weight: EAN:

030-0436 0.158 kg 4009729057285





NOVU5®

















	Fine wire staple Type/ length in mm	A/H 6–14		A/H 6–14	A/H 4–10	A 6–14	A/H 4–10	A/H 4–10	A 4-8
ener	Flat wire staple Type/ length in mm		D/G 6–14	D/G 6–14	D/G 4–10	D 6–14	D/G 4–10		
Fastener	Narrow crown staple Type/ length in mm								
	Nail Type/ length in mm	E 16	E 16	E 16					

	Handle lock	•	•	•	•	•	•	•	•
nent	Staple window	•		•	•	•	•	-	
	Distance holder	•	•	•					
Features/equipment	Precision nozzle	•		•					
res/e	Impact force adjustment	•	•	•		•			
Featu	Fast reloading/ firmly attached parts	•		•	•	•	•	•	•
	Slide mechanism for processing staples			•	•	•	•		
	Rubber grip	•		•	•	•	•		
	Belt hook	•	•						
	Staple exit indicator	•		•	•				

novus°

J-50	J-51	J-29	J-25	€ J-17	5	√ J-13	€
A/H 6–14 E 16	D/G 6–14 E 16	A/H 6–14 D/G 6–14 E 16	A/H 4-10 D/G 4-10	A 6–14 D 6–14	A/H 4-10 D/G 4-10	A 4-10	A 4-8

Material/fabric	•		•	•	•	•	•	•
Carpets			-	-	-	-	-	-
Soft plastic boards (2–10 mm)	•		•	•	•	•	•	•
Wire mesh	•	•	•		•			
Thin wood strips	•	•	•					
Leather/faux leather	•		•	•	•	•		
Sheeting/cardboard/ paper		•	•	•	•	•		
Sheeting/cardboard/ paper Waxed/oiled papers Insulation mats (glass wool)		•	•	•	•	•		
Insulation mats (glass wool)		•	•	•	•	•		
Aluminium-laminated products		•	•	•	•	•		
Weather strips		•	•	•	•	•		
Cork tiles (2–10 mm)		•	•		•			
Roofing felt		•	•		•			
Hardboard sheets (2–6 mm)		•	•		•			
Decorative moulding/ corner moulding	•	•	•					



Wide baffle plate for optimum surface protection and for preventing damage to tacker materials



All parts are **firmly attached**, making them impossible to lose



Opening as a staple level indicator



Integrated staple pusher for quick staple reloading



High capacity (two rows of staples or 175 staples) for easier, faster and less frequent reloading





J-044

Large hammer tacker for professional use on construction sites.

- Suitable for flat wire staples from 6 to 12 mm
- Robust and durable full-metal hammer tacker
- All parts are firmly attached to the tacker and cannot be lost
- Non-slip grip for safe handling and fatigue-free working
- · High charge capacity for less frequent recharging
- Wide baffle plate for optimum surface protection
- Fast reloading at the touch of a button
- Opening for staple level indicator

Item no.: Weight: EAN:

030-0453 0.977 kg 4009729082102











J-033

Robust hammer tacker for universal use on construction sites.

- Suitable for flat wire staples from 6 to 10 mm
- Robust and durable full-metal hammer tacker
- All parts are firmly attached to the tacker and cannot be lost
- · Non-slip grip for safe handling and fatigue-free working
- Integrated staple pusher for fast reloading

J-022

Lightweight hammer tacker for processing fine wire staples for universal use.

- Suitable for fine wire staples from 4 to 6 mm
- · Robust and durable full-metal hammer tacker
- All parts are firmly attached in to the tacker and cannot be lost
- · Non-slip grip for safe handling and fatigue-free working
- · Integrated staple pusher for fast reloading

Item no.: Weight: EAN:





Item no.: Weight: EAN:

030-0451 0.429 kg 4009729082041









	Fine wire staple Type/length in mm			H 4–6
ener	Flat wire staple Type/length in mm	G 6–12	G 6–10	
Fastener	Narrow crown Type/length in mm			
	Nail Type/length in mm			
	Full metal			•
	Staple window			
nent	Firmly attached parts	•	•	•
quipn	Top-loading mechanism			
res/e	Quick loading Loading at the push of a button	•		
Features/equipment	Ergonomic grip			•
	Loading of two rows of staples	•		
	Surface protection			



	EWS .	NOVE .		
J-044	J-033	J-022		
G 6–12	G 6–10	H 4–6		

	Material/fabric	•		•
	Leather/faux leather	•	•	
	Sheeting	•	•	
materials	Paper/cardboard	•	•	
	Waxed/oiled papers	•	•	
Example	Insulation mats (glass wool)	•	•	
û	Aluminium-laminated products	•	•	
	Weather strips	•		
	Cork tiles (2–10 mm)	•		



A rubberised design line indicates the **staple exit**, making it easy to place your staples exactly where you want them.





The long **precision nozzle** allows for precise working even in hard-to-reach places.



The **staple window** displays the current fill level – at a glance.



The **distance holder** helps you insert parallel lines of staples at a uniform distance from the edge.



Fast reloading thanks to integrated staple pusher.

MOVU5°





Professional electric tacker for perfectly fastening a wide variety of fabrics, textiles and decorative mouldings on building sites and in workshops.

- Suitable for fine wire staples up to 14 mm and nails up to 16 mm
- Suitable for hammer tacker staples type H
- Long nozzle for precise working even in hard-to-reach places
- Distance holder for inserting parallel lines of staples at a uniform distance from the edge
- · Ergonomic design for comfortable use
- Extra-long 3-metre cable allows you to work comfortably even in elevated locations
- · Opening for staple level indicator
- Rubberised front protects delicate materials
- For accurate results, the design line on the front of the tacker indicates the exact location of the staple exit
- Bottom-loading mechanism with integrated staple pusher for quick staple reloading. All parts are firmly attached to the tacker and cannot be lost
- Electric impact force adjustment guarantees the right impact force for any job, whether softwood or hardwood



J-151

Professional electric tacker for perfectly attaching a wide variety of sheeting and decorative mouldings on building sites and in workshops.

- Suitable for flat wire staples up to 14 mm and nails up to 16 mm
- Suitable for hammer tacker staples type G
- Long nozzle for precise working even in hard-to-reach places
- Distance holder for inserting parallel lines of staples at a uniform distance from the edge
- Ergonomic design for comfortable use
- Extra-long 3-metre cable allows you to work comfortably even in elevated locations
- · Opening for staple level indicator
- · Rubberised front protects delicate materials
- For accurate results, the design line on the front of the tacker indicates the exact location of the staple exit
- Bottom-loading mechanism with integrated staple pusher for quick staple reloading. All parts are firmly attached to the tacker and cannot be lost
- Electric impact force adjustment guarantees the right impact force for any job, whether softwood or hardwood







Item no.: 031-0360 Weight: 1.6 kg EAN: 4009729077702

Cable length: 3 m









Item no.: 031-0361

Weight: 1.6 kg EAN: 4009729077726

Cable lenght: 3 m









J-120

Small, powerful electric tacker for fastening fabrics and textiles, optimal for interior decorating and workshop use.

- Suitable for fine wire staples up to 14 mm and nails up to 16 mm
- Long nozzle for precise working even in hard-to-reach places
- Blank firing guard allows staples to be released only when the tacker is in contact with material
- Ergonomic design for comfortable use
- Bottom-loading mechanism with safety lock release for quick reloading
- · Opening for staple level indicator
- For accurate results, the design line on the front of the tacker indicates the exact location of the staple exit

Item no.: Weight: EAN: Cable length:

031-0362 1.4 kg 4009729077740 2 m













J-165

The very low kickback universal tacker for professional upholstering, insulating and panelling with clips.

- Suitable for fine wire and flat wire staples from 8 to 20 mm, flat wire staples from 8 to 18 mm and nails from 16 to 19 mm
- Interchangeable front plate for switching between fine wire staples/nails and flat wire staples
- · Opening for staple level indicator
- · Long nozzle for precise working even in hard-to-reach places
- Fast troubleshooting thanks to easy access via snap lock
- Correct impact force for softwood or hardwood
- Instantly ready to use once you release the trigger guard
- Extra-long 3.5-metre cable allows you to work comfortably even in elevated locations

J-165 Panel

This very low kickback panel tacker for panelling work can also be used for attaching standard profile cladding clips.

- Suitable for narrow crown staples from 15 to 26 mm and nails from 16 to 25 mm
- · Opening for staple level indicator
- Extra-fine nozzle allows for precise working in hard-to-reach places and direct mounting of tongue-and-groove boards into the side of the groove
- Fast troubleshooting thanks to easy access via snap lock
- · Correct impact force for softwood or hardwood
- Instantly ready to use once you release the trigger guard
- Extra-long 3.5-metre cable allows you to work comfortably even in elevated locations


 Item no.:
 Weight:
 EAN:
 Cable length:

 031-0326
 2.229 kg
 4009729014547
 3.5 m



 Item no.:
 Weight:
 EAN:
 Cable length:

 031-0324
 2.089 kg
 4009729011799
 3.5 m







	Fine wire staple Type/length in mm	A/H 6–14		A 6–14	A 8–20	
ner	Flat wire staple Type/length in mm		D/G 6–14		D 8–18	
Fastener	Narrow crown staple Type/length in mm					C 15–26
	Nail Type/length in mm	E 16	E 16	E 16	E 16–19	E 16-25
	Staple window	•		•	•	•
	Distance holder	•				
nent	Precision nozzle	•	•	•	•	•
Features/equipment	Impact force adjustment	•			•	•
res/e	Quick loading	•		•		
Featu	Blank firing guard	•		•	•	•
	Front plate for various staple types				•	•
	Snap lock				•	•
	Staple exit indicator	•		•		

J-150	J-151	J-120	J-165	J-165 Panel
J-15U	1-151	J-12U	J-105	Patiei
A/H 6-14	D/G 6-14	A 6-14	A 8-20	C 15-26
A/110-14				
E-16	E-16	E-16	D 8-18	E 16-25

	Material/fabric	•		-	-	
	Carpets				•	
	Soft plastic boards (2–10 mm)	•		-	-	
	Wire mesh/thin wooden posts	•		•	•	
	Leather/faux leather		-		-	
	Sheeting/paper/cardboard/ waxed and oiled paper		•		•	
	Insulation mats (glass wool)		-		-	
rials	Aluminium-laminated products		•		-	
Example materials	Weather strips		-		-	
mple	Cork tiles (2–10 mm)		-		•	
Exal	Roofing felt		-		-	-
	Tongue-and-groove boards/panelling with clips (wall/ceiling)				•	-
	Tongue-and-groove boards/panelling without clips (directly attached)					•
	Hardboard sheets (2–6 mm)	•	•	•	•	-
	Mineral fibreboards (4–10 mm)					-
	Plywood (4–10 mm)					-
	Decorative moulding/corner moulding	•	•	•	•	-
	Tension wire					•



The rubberised design line indicates the exact location of the **staple exit** so you can work with precision.





Handy LED light to illuminate the work site.



The **staple window** clearly displays the current fill level – at a glance.



Powerful Cordless Alliance System 18V Li-ion battery, compatible with all professional rechargeable battery products from other CAS partners.





Fast reloading thanks to integrated staple pusher.





J-550 without rechargeable battery

Item no.: 031-0363

Weight: 1.92 kg EAN: 4009729079287





J-550 set in MetaBOX incl. rechargeable battery, charger and clips



Item no.: 031-0364

Weight: 4.71 kg EAN: 4009729079324



Powerful professional cordless tacker for perfectly fastening a wide variety of sheeting and decorative mouldings on building sites and in workshops.

- Suitable for flat wire staples up to 14 mm and nails up to 16 mm
- Suitable for hammer tacker staples type H
- Work even faster with the rapid-fire function 3 fires per second
- Ergonomic device design allows you to work comfortably with an ideal center of gravity even when working overhead
- Depth setting: knurled screw to set distances of up to 2 mm between back of staple and workpiece. Staples are always inserted to the optimal depth, no matter how hard or soft the material
- Distance holder for inserting parallel lines of staples at a uniform distance from the edge
- CAS rechargeable battery system: powerful Cordless Alliance System 18 V Li-ion battery, compatible with all professional rechargeable battery products from other CAS partners
- Bottom-loading mechanism with integrated staple pusher for quick staple reloading. All parts are firmly attached to the tacker and cannot be lost
- Opening for staple level indicator
- Sturdy belt hook for clipping to work clothes so the device is always easily to hand
- Handy LED light to illuminate the work site
- Long nozzle for precise working even in hard-to-reach places
- Rubberised front protects delicate materials
- For accurate results, the design line on the front of the tacker indicates the exact location of the staple exit
- Blank firing guard means staples are only released when tacker is in contact with material



The metaBOX is quick and easy to stack and connects to all system widths.



J-551 without rechargeable battery

Item no.: 031-0365

Weight: 1.92 kg

EAN: 4009729079300





J-551 set in MetaBOX incl. rechargeable battery, charger and clips

DG

Item no.: 031-0366 Weight: 4.71 kg

EAN: 4009729079331



Powerful professional cordless tacker for perfectly fastening a wide variety of sheeting and decorative mouldings on building sites and in workshops.

- Suitable for flat wire staples up to 14 mm and nails up to 16 mm
- Suitable for hammer tacker staples type G
- Work even faster with the rapid-fire function 3 fires per second
- Ergonomic device design allows you to work comfortably with an ideal center of gravity even when working overhead
- Depth setting: knurled screw to set distances of up to 2 mm between back of staple and workpiece. Staples are always inserted to the optimal depth, no matter how hard or soft the material
- Distance holder for inserting parallel lines of staples at a uniform distance from the edge
- CAS rechargeable battery system: powerful Cordless Alliance System 18 V Li-ion battery, compatible with all professional rechargeable battery products from other CAS partners
- Bottom-loading mechanism with integrated staple pusher for quick staple reloading. All parts are firmly attached to the tacker and cannot be lost
- · Opening for staple level indicator
- Sturdy belt hook for clipping to work clothes so the device is always easily to hand
- Handy LED light to illuminate the work site
- Long nozzle for precise working even in hard-to-reach places
- Rubberised front protects delicate materials
- For accurate results, the design line on the front of the tacker indicates the exact location of the staple exit
- Blank firing guard means staples are only released when tacker is in contact with material





CAS charger SC 30

Charger for CAS Novus 18 V rechargeable battery and all other Li-Ion or LiHD slide-in rechargeable battery packs from the Cordless Alliance System (CAS), whether 2.0 Ah, 4.0 Ah, 5.2 Ah, 5.5 Ah or 8.0 Ah.

- Fits all CAS slide-in battery packs 12 V 14 V
- The patented Air Cooled charging technology cools the battery pack while charging, protecting the cells

Item no.: 031-0368 EAN: 4009729079362



CAS rechargeable battery 18 V 2.0 Ah

The 18 V 2.0 Ah CAS rechargeable battery not only offers full flexibility for Novus cordless tools, it is also 100% compatible with over 300 machines.

- CAS 18 V LiHD rechargeable battery with 2.0 Ah by Metabo
- Fits our cordless tackers J-550 / J-551
- · One charge will last for approximately 3,000 fires
- With charging level indicator
- Patented "AIR COOLED"-charging technology

Item no.: 031-0367 EAN: 4009729079348



J-214 Li-lon

Our pneumatic tacker with lightweight metal housing for professional upholstery and decorating work.

- Suitable for fine wire staples from 6 to 16 mm
- Precise Nozzle: long nozzle for precise working in hard-to-reach spots
- · Electric Power Control: correct impact force for softwood or hardwood
- · Safety lock: instantly ready to use once you release the trigger guard
- Silencer: attenuates sound for low noise levels
- · Quick Loading System: integrated staple pusher for fast reloading
- Provided in practical case including Novus 3.6 V rechargeable battery and charger

Item no.: Weight: EAN:

031-0356 1.719 kg 4009729053683











	Fine wire staple Type/length in mm	A/H 6–14		A 6–14
Fastener	Flat wire staple Type/length in mm		D/G 6–14	
Fast	Narrow crown staple Type/length in mm			
	Nail Type/length in mm	E 16	E 16	E 16
	Staple window	•	•	•

	Staple window	•	•	•
	Distance holder	•	•	
	Rapid-fire function	•	•	
ınt	Precision nozzle	•	•	
Features/equipment	Depth stop	•	•	
s/edu	Impact force adjustment			-
ature	Belt hook	•	•	
F	Ergonomic handle	•	-	
	Quick loading	•	•	•
	Blank firing guard	•	•	-
	LED work site lighting	•	•	-





	Material/fabric	•		•
	Carpets			
	Soft plastic boards (2–10 mm)	•		•
	Wire mesh/thin wooden posts			•
	Leather/faux leather		•	
S	Sheeting/paper/cardboard/waxed and oiled paper		•	
Example materials	Insulation mats (glass wool)		•	
le ma	Aluminium-laminated products		•	
xamp	Weather strips		•	
m	Cork tiles (2–10 mm)		•	
	Roofing felt		•	
	Tongue-and-groove boards/panelling with clips		•	
	Hardboard sheets (2–6 mm)	•	•	•
	Mineral fibreboards (4–10 mm)			
	Decorative moulding/corner moulding	•	•	•



Novus fasteners – quality that holds up!

Novus offers the right size and length of fastener for every task, made with state-of-the-art technology and using only the best materials. Novus fasteners are manufactured exclusively from steel wire with a galvanised coating to ensure maximum environmental sustainability and exceptional rust protection.

The stainless-steel V2A staples are particularly suitable for continuous outdoor use. "Superhard" refers to a steel wire of the highest strength, indicating the stability of the staple.

Staple length

The right staple length ensures you are always on the safe side. You should use 1/3 of the staple length for the fastening material and 2/3 for the anchoring material. If you are using a hardwood as the anchoring material, a 1/1 ratio is sufficient.









All our staple packaging is completely plastic-free and made of recyclable cardboard.

Large pack

Easy to handle and re-close for large projects.





Sliding box

The sliding box is easy to open and close, with a window that reveals its contents.








Fine wire staple

Perfect for fastening:

- · Materials/textiles
- Thin metal tags
- Wire mesh
- Thin wooden slats

NOVUS type 53






Sliding box

Quantity:	Name:	Item no.:	EAN:
1,800 units	53/4	042-0772	4009729080672
	53/6	042-0773	4009729080702
	53/8	042-0774	4009729080733
	53/8 superhard	042-0775	4009729080764
800 units	53/6	042-0776	4009729080795
	53/8	042-0777	4009729080825
	53/10 superhard	042-0778	4009729080856
	53/10 V2A stainless steel	042-0779	4009729080887
	53/12 superhard	042-0780	4009729080917
	53/14 superhard	042-0781	4009729080948
	53/18 superhard	042-0782	4009729080979


Light cardboard packaging

Quantity:	Name:	Item no.:	EAN:
5,000 units	53/6	042-0761	4009729080344
	53/8 superhard	042-0762	4009729080375
	53/10 superhard	042-0763	4009729080405
	53/14 superhard	042-0764	4009729080436



NOVUS type 37





Sliding box

Quantity:	Name:	Item no.:	EAN:
1,870 units	37/4 superhard	042-0783	4009729081006
	37/6 superhard	042-0784	4009729081037
	37/8 superhard	042-0785	4009729081068
850 units	37/10 superhard	042-0786	4009729081099
	37/14 superhard	042-0787	4009729081129

Light cardboard packaging

Quantity:	Name:	Item no.:	EAN:
5,000 units	37/6 superhard	042-0770	4009729080610
	37/8 superhard	042-0771	4009729080641




Flat wire staple

Perfect for fastening:

- Sheeting/tags
- · Aluminium-laminated products
- · Paper and cardboard
- Waxed and oiled paper

NOVUS type 53 F





Sliding box

Quantity:	Name:	Item no.:	EAN:
1,200 units	53 F/6	042-0788	4009729081150
	53 F/8	042-0789	4009729081181
600 units	53 F/10 53 F/12	042-0790 042-0791	4009729081211 4009729081242
	53 F/14	042-0792	4009729081273

Staple with D-point in clear packaging

Quantity:	Name:	Item no.:	EAN:
600 units	53 F/14D (D-point)	042-0793	4009729081303
	53 F/18D (D-point)	042-0794	4009729081334


The 14 and 18 mm flat wire staples with D-point (sawtooth point) prevent the staple legs from being driven into the material in parallel, meaning they are less likely to fall out. This makes them great for fastening profiled wood for wall and ceiling panelling.



NOVUS type 11



Flat wire staples specifically for hammer tackers



Sliding box

Quantity:	Name:	Item no.:	EAN:
1,200 units	11/6	042-0795	4009729081365
	11/8	042-0796	4009729081396
600 units	11/10	042-0797	4009729081426
	11/12	042-0798	4009729081457
	11/14	042-0799	4009729081488

Light cardboard packaging

Quantity:	Name:	Item no.:	EAN:
5,000 units	11/6	042-0765	4009729080467
	11/8	042-0766	4009729080498
	11/10	042-0767	4009729080528
	11/12	042-0768	4009729080559
	11/14	042-0769	4009729080580

Narrow crown staple


Perfect for fastening:

- Tongue-and-groove boards
- Panels
- Fibreboards
- · Wire mesh

rds

NOVUS type 4





Sliding box

Quantity:	Name:	Item no.:	EAN:
1,000 units	4/12	042-0800	4009729081518
	4/15	042-0801	4009729081549
	4/18	042-0802	4009729081570
	4/23	042-0803	4009729081600
	4/26	042-0804	4009729081631
	4/26 V2A stainless steel	042-0805	4009729081662
	4/30	042-0806	4009729081693

Nail


Perfect for fastening:

- Decorative moulding
- · Corner moulding



NOVUS type J







Sliding box

Quantity:	Name:	Item no.:	EAN:
1,000 units	J/14	044-0088	4009729081723
	J/16	044-0089	4009729081754
	J/19	044-0090	4009729081785
	J/25	044-0091	4009729081815
	1/30	044-0092	4009729081846

Fastening panels:







	T.m. 52	Time 4	T 525	Time I	T a 11	Tom 2.27
	Type 53	Type 4	Type 53F	Type J	Type 11	Type 37
	A		D	E	G	
BOSCH						
HT8	4-8					
HT14	4-14					
HMT53	4-8					
HMT57					6–10	
PTK 3.6 LI	4–10					
PTK 3.6 LI Office Set	4–10					回数数回
PTK 14 EDT	6–14					
KWB	·					
PT 8	4-8					
MT14N	6–14					
HT057					6–10	
RAPID						
R11					6–10	
R19						4–6
R23						4-8
R53	4-8					
R153	6–8					
Alu953	6–14			8–15		
PREBENA						'
HFPF09					6–9	
HFPF14					8–14	
HFUPF					6–9	
HFVZ10						6–10
HP-J/VX16	6–14					
HPPF14					6–14	
HPVZ08						6–8
HTVX08	6-8					
MILWAUKEE						
M18 FNCS18GS-202X + M18 FNCS18GS-0X		12-30				
MT14N	6–14					
HT057					6–10	
RYOBI						
R18S18G-0		10-38				

As a specialist for fastening technology, Novus offers a range of rivet pliers and blind rivet nut pliers. Whether you're mounting signs or fastening accessories to vehicles, home and garden devices, leather items or children's toys: wherever you need a strong, reliable fastening and you can only access one side of the material, riveting technology is the answer.

Handy partners for firm connections

Blind rivet nut pliers allow you to use screw threads even in hard-to-reach places.



Rivet pliers



The rivets provide a secure and reliable hold even where they are exposed to constant vibrations.



Blind rivet nut pliers



Number plates can be switched out effortlessly thanks to the thread in the rivet nut.



#HASH TACK







Novus Dahle GmbH Breslauer Straße 34–38 49808 Lingen (Ems) Germany Tel. +49 (0) 591 9140 0 Fax +49 (0) 591 9140 841 info@novus-dahle.com/en/ 855-3166 | EN 0124
Technical data and design are approximate and subject to change.
We assume no liability for printing errors.